


arca[®]

SERIES

LABELING & MARKING

DYNAMIC



<i>Labeler</i> Étiqueteuse	<i>Max label reel diameter</i> Diamètre max du rouleau d'étiquettes	<i>Max speed</i> Vitesse maximale	<i>Max frequency</i> Fréquence maximale	<i>Accuracy</i> Précision de distribution
DYNAMIC 110	280mm - 11.02"	up to 40 m/min - 131 ft/min	680 pcs/min	± 1,1mm ± 0.043"
DYNAMIC 160	280/300mm ¹ - 11,02"/11.81"	up to 40 m/min - 131 ft/min	680 pcs/min	± 1,1mm ± 0.043"

¹ The maximum diameter 280mm can be raised to 300mm where the roll width is significantly less than the maximum allowed



LABELING & MARKING



A small champion of efficiency and effectiveness. Ensures excellent performance and functionality of more advanced labeling machines

Very small dimensions, total modularity and a respectable speed, they allow an easy integration into any production line, also with constantly variable speed. It can be equipped with various devices for printing and marking; and with all the most important accessories

Un petit échantillon d'efficience et d'efficacité. Il offre d'excellentes performances et la fonctionnalité des étiqueteuses les plus avancées


Ses dimensions extrêmement réduites, sa modularité totale et sa vitesse respectable permettent de l'intégrer facilement dans n'importe quelle ligne de production, même celles dont la vitesse est constamment variable.

Elle peut être équipée de différents dispositifs d'impression et de marquage ; et de tous les accessoires les plus importants

DYNAMIC FACTS

arca®



LABELING & MARKING



High end / Low end

* Optional
* Optional

www.arcalabelingmarking.com



Made in **ITALY**